

## Chapter 8 BIBLIOGRAPHY

- [1] AAMAS. *ACUMEN: Amplifying Control and Understanding of Multiple Entities*, Bologna, Italy, July 15-19 2002. ACM 1-58113-480-0/02/0007.
- [2] J.K. Aggarwal, Q. Cai, and W. Liao, “Nonrigid motion analysis: articulated and elastic motion” *Computer Vision and Image Understanding* 70, no. 2 (May 1998) : 142-56.
- [3] J. M. Allbeck and N. I. Badler. Avatars á la snow crash. *Computer Animation*, pages 19–24, June 1998.
- [4] J. M. Allbeck and N. I. Badler. Consistent communication with control. Workshop on Non-Verbal and Verbal Communicative Acts to Achieve Contextual Embodied Agents, Autonomous Agents, 2001.
- [5] J. M. Allbeck and N. I. Badler. Toward representing agent behaviors modified by personality and emotion. *Embodied Conversational Agents at AAMAS’02*, July 15-19 2002.
- [6] K. Ashida, S.-J. Lee, J. M. Allbeck, H. Sun, N. I. Badler, and D. Metaxas. Pedestrians: Creating agent behaviors through statistical analysis of observation data. *Proc. Computer Animation*, 2001.
- [7] J. Assa, Y. Caspi, D. Cohen-Or, “Action Synopsis : Pose selection and illustration” *ACM Transaction on Graphics (SigGraph 2005)* 24(3) (July 2005) : 667-676.
- [8] C. Babski and D. Thalmann. Real-time animation and motion capture in web human director. *VRML*, 2000.
- [9] N. Badler, J. Allbeck, L. Zhao, and M. Byun. Representing and parameterizing agent behaviors. January 4 2002.
- [10] N. Badler, M. Costa, L. Zhao, and D. Chi. To gesture or not to gesture: What is the question? In *Proceedings of Computer Graphics International*, pages 3–9, Geneva, Switzerland, June 2000. IEEE CS.
- [11] N. I. Badler. *Dance Technology: Current Applications and Future Trends*, chapter A Computational Alternative to Effort Notation, pages 23–44. National Dance Association, va edition, 1989.
- [12] N. I. Badler, K. H. Manoochehri, and D. Baraff. Multi-dimensional input techniques and articulated figure positioning by multiple constraints. *Workshop on Interactive 3D Graphics*, pages 151–169, October 23 1986.
- [13] N. I. Badler. Animation 2000+-. *IEEE Computer Graphics and Applications*, pages 28–29, January/February 2000.
- [14] N. I. Badler and J. M. Allbeck. *Deformable Avatars*, chapter Towards Behavioral Consistency in Animated Agents, pages 191–205. Kluwer Academic Publishers, 2001.
- [15] P. Baerlocher and R. Boulic. Task-priority formulations for the kinematic control of highly redundant articulated structures. *IROS*, 1998.

- [16] S. Bandi and D. Thalmann. A configuration space approach for efficient animation of human figures. *NRAM*, 1997.
- [17] M. Berman and D. Culpin. The statistical behaviour of some least squares estimators of the centre and radius of a circle. *Journal of the Royal Statistical Society. Series B (Methodological)*, 48(2):183–196, 1986.
- [18] R. Bindiganavale, W. Shuler, J. M. Allbeck, N. I. Badler, A. K. Joshi, and M. Palmer. Dynamically altering agent behaviors using natural language instructions. *Autonomous Agents*, pages 293–300, June 2000.
- [19] A. Bloomfield, Y. Deng, J. Wampler, P. Rondot, D. Harth, M. McManus, and N. I. Badler. A taxonomy and comparison of haptic actions for disassembly tasks. *Proceedings of the IEEE Virtual Reality Conference*, pages 225–231, March 2003.
- [20] B. Bodenheimer, C. Rose, S. Rosenthal, and J. Pella. The process of motion capture: Dealing with the data. In D. Thalmann and M. van de Panne, editors, *Eurographics Animation and Simulation*, pages 3–18, Wien, Sept 1997. Springer-Verlag.
- [21] B. Bodenheimer, C. Rose, S. Rosenthal, J. Pella, “The Process of Motion Capture: Dealing with the Data” *Eurographics CAS* (Sept. 1997): 3-18
- [22] D.A. Bolt, “Two Stage Control for High Degree of Freedom Articulated Figures” Ph.D. thesis for Computer Science, University of Colorado in Colorado Springs, (2000).
- [23] R. Boulic, P. Fua, L. Herda, M. Silaghi, J.-S. Monzani, L. Nedel, and D. Thalmann. An anatomic human body for motion capture. In *EMMSEC*, pages 1–7, Bordeaux, France, September 1998.
- [24] R. Boulic, Z. Huang, N. Magnenat-Thalmann, and D. Thalmann. Goal oriented design and correction of articulated figure motion with the track system. 1994.
- [25] R. Boulic and R. Mas. Hierarchical kinematic behaviors for complex articulated figures. 1997.
- [26] R. Boulic, R. Mas, and D. Thalmann. Position control of the center of mass for articulated figures in multiple support. 1995.
- [27] R. Boulic, R. Mas, and D. Thalmann. Interactive identification of the center of mass reachable space for an articulated manipulator. 1997.
- [28] R. Boulic and D. Thalmann. Combined direct and inverse kinematic control for articulated figure motion editing. *CGF*, 1992.
- [29] R. Boulic and D. Thalmann. Complex character positioning based on a compatible flow model of multiple supports. *IEEE Transactions on Visualization and Computer Graphics*, 3(3), July–September 1997.
- [30] L. Bretzner and T. Lindeberg. Qualitative multiscale feature hierarchies for object tracking. *Journal of Visual Communication and Image Representation*, 11:115–129, 2000.
- [31] M. Burr, A. Cheng, R. Coleman and D. Souvaine. “Transformations and Algorithms for Least Sum of Squares Hypersphere Fitting.” *16<sup>th</sup> Canadian Conference on Compu-*

- tational Geometry*, 2004, pp 104-107.
- [32] J. Chai, J. Hodgins “Performance Animation from Low Dimensional Control-Signals” *ACM Transaction on Graphics (SigGraph 2005)* 24(3) (July 1005) : 686-696.
- [33] L. Y. Chang, N. S. Pollard, “Constrained least-squares optimization for robust estimation of center of rotation”, *Journal of Biomechanics*, (accepted 7 May 2006)
- [34] N. Chernov and C. Lesort. “Least squares fitting of circles”. *Journal of Mathematical Imaging and Vision*, 23:239–252, 2005.
- [35] D. Chi, M. Costa, L. Zhao, and N. I. Badler. Emote model for effort and shape. *Proceedings of SIGGRAPH*, 2000.
- [36] K. Choi, S. Park, H. Ko. Processing motion capture data to achieve positional accuracy. *Graphical Models and Image Processing*, 61(5):260–273, September 1999.
- [37] K. Choi and H. Ko. On-line motion retargetting. *Journal of Visualization and Computer Animation*, 11(5):223–235, June 2000.
- [38] M.-H. Choi and J. F. Cremer. Iterative manipulation of articulated objects with geometry awareness. *Proceedings of the IEEE International Conference on Robotics & Automation*, pages 592–598, May 1999.
- [39] S. Chopra-Khullar and N. I. Badler. Where to look? automating attending behaviors of virtual human characters. 1999.
- [40] C. A. Corral and C. S. Lindquist. On implementing Kása’s circle fit procedure. *IEEE Transactions on Instrumentation and Measurement*, 47(3):789–795, June 1998.
- [41] P. Delogne. “Computer Optimization of Deschamps’ Method and Error Cancellation in Reflectometry,” Proceedings of the IMEKO Symposium on Microwave Measurements, *Budapest, Hungary*, May 1972, pp. 117-129.
- [42] Q. Delamarre and O. Faugeras. 3D Articulated Models and Multiview Tracking with Physical Forces. *Computer Vision and Image Understanding*, 81:328–357, 2001.
- [43] E-Factory. *Jack human modeling and simulation - Virtual people, virtual places, real solutions*.
- [44] R. M. Ehrig, W. R. Taylor, G. N. Duda, M. O. Heller, “A survey of formal methods for determining the centre of rotation of ball joints”, *Journal of Biomechanics* (accepted 3 October 2005)
- [45] P.J. Frey “MEDIT: An interactive mesh visualization software” Rapport technique n°0253, December 3, 2001, 41 pages.
- [46] P. Fua, R. Plänklers, and D. Thalmann. From synthesis to analysis: Fitting human animation models to image data. *CGI*, 1999.
- [47] W. Gander, G.H. Golub, R. Strebler. “Least-Squares Fitting of Circles and Ellipses”. *BIT Numerical Mathematics* 34, Springer 1994, pp 558-578.
- [48] C. R. Henderson. Estimation of variance and covariance components. *Biometrics*, 9(2):226–252, June 1953.

- [49] L. Herda, P. Fua, R. Plänklers, R. Boulic, and D. Thalmann. Using skeleton-based tracking to increase the reliability of optical motion capture. *HMS*, 2001.
- [50] L. Herda, P. Fua, R. Plänklers, R. Boulic, D. Thalmann, “Skeleton-based motion capture for robust reconstruction of Human Motion”, Computer Graphics Lab (LIG) EPFL:Lausanne, Switzerland (2000).
- [51] R.J. Holt, T.S. Huang, and A.N. Netravali, R.J. Qian, “Determining articulated motion from perspective views: a decomposition approach” *Pattern Recognition*: 30, no. 9, (1997): 1435.
- [52] S. Jung and K. Wohn. Tracking and motion estimation of the articulated object: a hierarchical Kalman filter approach. *Real-Time Imaging*, 3:415–432, 1997.
- [53] T. Jung. An algorithm with logarithmic time complexity for interactive simulation of hierarchically articulated bodies using a distributed-memory architecture. *Real-Time Imaging*, 4:81–96, 1998.
- [54] P. E. Jupp and J. T. Kent. Fitting smooth paths to spherical data. *Applied Statistics*, 36(1):34–46, 1987.
- [55] K. Kanatani. “Cramér-Rao lower bounds for curve fitting.” *Graphical Models and Image Processing*, 60(2):93–99, March 1998.
- [56] K. Kanatani. “Ellipse Fitting with Hyperaccuracy.” *IEICE Transactions on Information and Systems*, E89-D (10): 2653–2660, October 2006.
- [57] I. Kása. A circle fitting procedure and its error analysis. *IEEE Transactions on Instrumentation and Measurement*, 25:8–14, March 1976.
- [58] C. Kervrann and F. Heitz. A hierarchical markov modeling approach for the segmentation and tracking of deformable shapes. *Graphical Models and Image Processing*, 60(3):173–195, May 1998.
- [59] P. Kiriazov and H. Ko. On control design in simulation of human motion. 1998.
- [60] A. G. Kirk, J. F. O’Brien, and D. A. Forsyth. Skeletal parameter estimation from optical motion capture data. In *IEEE Conf. on Computer Vision and Pattern Recognition (CVPR)*. IEEE, 2005.
- [61] A. G. Kirk and O. Arikan. Real-time ambient occlusion for dynamic character skins. 2007.
- [62] J. K. Knight. Probability density function determination from ordered statistics. Masters thesis, California State University, Fullerton, August 1995.
- [63] J. K. Knight and S. K. Semwal, Fast Skeleton Estimation from Motion Capture Data using Generalized Delogne-Kása method. In *15<sup>th</sup> International Conference in Central Europe on Computer Graphics Visualization and Computer Vision*. Full Papers Proceedings of WSCG, ISBN 978-80-86943-01-5, Feb 2007.
- [64] H. Ko, J. Cremer, “VRLOCO: Real-Time Human Locomotion from Positional Input Stream” *Presence* 5(4) (1996): 367–380.
- [65] H. Ko and N. I. Badler. Animating human locomotion in real-time using inverse dy-

- namics, balance and comfort control. *IEEE Computer Graphics and Applications*, 16(2):50–59, March 1996.
- [66] L. Kovar, M. Gleicher, F. Pighin, “Motion Graphs” *Proceedings of SIGGRAPH 2002*: 473-482.
- [67] H. K. Kwangjin Choi, Sanghyun Park. Processing motion capture data to achieve positional accuracy. *Graphical Models and Image Processing*, 61(5):260–273, September 1999.
- [68] S. P. Lee, J. B. Badler, and N. I. Badler. Eyes alive. *Proceedings of ACM SIGGRAPH*, 21(3):637–644, July 2002.
- [69] J. Lee, S.Y. Shin, “A Hierarchical Approach to Interactive Motion Editing for Human-like Figures” *Proceedings of SIGGRAPH 1999*.
- [70] J. Lee, J. Chai, P.S.A Reitsma, “Interactive Control of Avatars Animated with Human Motion Data” *Proceedings of SIGGRAPH 2002*: 491-500.
- [71] C.K. Liu, Z. Popović, “Synpaper of Complex Dynamic Character Motion from Simple Animation” *Proceedings of SIGGRAPH 2002*: 408-416.
- [72] Z. Lui, S. Gortler, M. Cohen, “Hierarchical Spacetime Control” *Computer Graphics (SIGGRAPH 1994 Proceedings)*.
- [73] G. Lukács, A.D. Marshall, R.R. Martin, “Geometric Least-Squares Fitting of Spheres, Cylinders, Cones, and Tori” RECCAD Deliverable Documents 2 and 3 Copernicus Project No. 1068 Reports on basic geometry and geometric model creation, etc. Edited by Dr. R. R. Martin and Dr. T. Varady Report GML 1997/5, Computer and Automation Institute, Hungarian Academy of Sciences, Budapest, 1997.
- [74] N. Magnenat-Thalmann and D. Thalmann. Motion control of synthetic actors: An integrated view of human animation. *MCAAF*, 1989.
- [75] F. Marina, E. Stella, A. Branca, N. Veneziani, and A. Distanto. Specialized hardware for real-time navigation. *Real-Time Imaging*, 7:97–108, 2001.
- [76] E. G. Miller. A new class of entropy estimators for multi-dimensional densities. *International Conference on Acoustics, Speech, and Signal Processing*, 2003.
- [77] T. Molet, R. Boulic, and D. Thalmann. A real time anatomical converter for human motion capture. *EGCAS*, 1996.
- [78] J.-S. Monzani, P. Baerlocher, R. Boulic, and D. Thalmann. Using an intermediate skeleton and inverse kinematics for motion retargeting. *Eurographics*, 19(3), 2000.
- [79] A. Moreno, J. Umerez, and J. Ibañez. Cognition and life: The autonomy of cognition. pages 107–129, 1997.
- [80] Motion Lab Systems, Inc. “C3D Format User Guide”, PDF document at <http://www.motion-labs.com>, Motion Lab Systems, Baton Rouge, LA, (2003) (98 pages)
- [81] M. Muller, T. Roder, M. Clausen, “Efficient Content-Based Retrieval of motion capture Data” *ACM Transaction on Graphics (SigGraph 2005)* 24(3) (July 2005) : 677-

685.

- [82] Y. Nievergelt. Perturbation analysis for circles, spheres, and generalized hyperspheres fitted to data by geometric total least-squares. *Mathematics of Computation*, 73(245):169–180, August 2003.
- [83] J. F. O’Brien, A. W. Bargteil, and J. K. Hodgins. Graphical modeling and animation of ductile fracture. *SIGGRAPH Computer Graphics Proceedings, Annual Conference Series*, 2002.
- [84] J. F. O’Brien, R. E. Bodenheimer Jr., G. J. Brostow, and J. K. Hodgins. *Automatic Joint Parameter Estimation from Magnetic Motion Capture Data*, pages 53–60, Montreal, Quebec, Canada, May 15-17 2000. Graphics Interface.
- [85] J. F. O’Brien, P. R. Cook, and G. Essl. Synthesizing sounds from physically based motion. *SIGGRAPH Computer Graphics Proceedings, Annual Conference Series*, 2001.
- [86] J. F. O’Brien and J. K. Hodgins. Graphical modeling and animation of brittle fracture. *Computer Graphics Proceedings, Annual Conference Series*, 1999.
- [87] J. F. O’Brien and J. K. Hodgins. Animating fracture. *Communications of the ACM*, 43(7), July 2000.
- [88] J. F. O’Brien, C. Shen, and C. M. Gatchalian. Synthesizing sounds from rigid-body simulations. *ACM SIGGRAPH Symposium on Computer Animation*, 2002.
- [89] G.E. Plassman, “A Survey of Singular Value Decomposition Methods and Performance Comparison of Some Available Serial Codes” NASA CR-2005-213500, July 2005.
- [90] N.S. Pollard, P.S.A. Reitsma, “Animation of Humanlike Characters: Dynamic Motion Filtering with a Physically Plausible Contact Model” *Yale Workshop on Adaptive and Learning Systems* (2001).
- [91] Z. Popović, A. Witkin, “Physically Based Motion Transformation” *Computer Graphics Proceedings, Annual Conference Series*, 1999.
- [92] I. Potucek. Automatic image stabilization for omni-directional systems.
- [93] V. Pratt. Direct least-squares fitting of algebraic surfaces. *Computer Graphics*, 21(4):145–152, July 1987.
- [94] W.H. Press, S.A. Teukolsky, W.T. Vetterling, B.P. Flannery, “Numerical Recipes in C: The Art of Scientific Computing” 2nd.ed., Cambridge University Press: 1992.
- [95] S. Robinson, “Fitting Spheres by the Method of Least Squares” *Communications of the ACM*, Volume 4, No. 11; November 1967, p. 491.
- [96] P. L. Rosin. Further five point ellipse fitting. *Graphics Models and Image Processing*, 61:245–259, 1999.
- [97] A. Safonova, J. K. Hodgins, N. S. Pollard. “Synthesizing Physically Realistic Human Motion in Low-Dimensional, Behavior-Specific Spaces”. *ACM Transactions on Graphics*, Vol. 23 No. 3, pp. 514-521, Aug 2004.

- [98] S. Semwal, M.J. Parker, “An Animation System for Biomechanical Analysis of Leg Motion and Predicting Injuries during Cycling” *Real-Time Imaging*: 5 (1999): 109-123.
- [99] S.K. Semwal, R. Hightower, S. Stansfield, “Closed Form and Geometric Algorithms for Real-Time Control of an Avatar” *IEEE Proceedings of VRAIS 1996*.
- [100] C.M. Shakarji “Least-Squares Fitting Algorithms of the NIST Algorithm Testing System” *J. of Research of the National Institute of Standards and Technology*: 103, No. 6 (1998): 633.
- [101] A. Simonovits *Econometrica*, Vol. 43, No. 3 (May, 1975), pp. 493-498
- [102] J. Shi, N. I. Badler, and M. B. Greenwald. Joining a real-time simulation: Parallel finite-state machines and hierarchical action level methods for mitigating lag time. 2000.
- [103] M.-C. Silaghi, R. Plänkers, R. Boulic, P. Fua, and D. Thalmann. Local and global skeleton fitting techniques for optical motion capture. In N. Magnenat-Thalmann and D. Thalmann, editors, *Modelling and Motion Capture Techniques for Virtual Environments*, volume 1537 of *Lecture Notes in Artificial Intelligence*, pages 26–40, Berlin, Nov 1998. Proceedings of CAPTECH, Springer.
- [104] M.-C. Silaghi, R. Plänkers, R. Boulic, P. Fua, and D. Thalmann. Local and global skeleton fitting techniques for optical motion capture. *Captech*, 1998.
- [105] H. Späth. Least-square fitting with spheres. *Journal of Optimization Theory and Applications*, 96(1):191–199, January 1998.
- [106] A. Strandlie, J. Wroldsen, R. Frühwirth and B. Lillekjendlie. Track Fitting on the Riemann Sphere. *International Conference on Computing in High Energy and Nuclear Physics*, Padova, Italy; February, 2000.
- [107] S. Tak and H. Ko. Example Guided Inverse Kinematics. *Proceedings of the International Conference on Computer Graphics and Imaging*, pages 19–23, 2000.
- [108] S.M. Thomas and Y.T. Chan. “Cramer-Rao Lower Bounds for Estimation of a Circular Arc Center and Its’ Radius”. *CVGIP: Graphics Model and Image Processing*, Vol. 57, No. 6, pages 527-532, 1995.
- [109] D. Tolani, A. Goswami, N.I. Badler, “Real-Time Inverse Kinematics Techniques for Anthropomorphic Limbs” *Graphical Models*: 62 (2000): 353-388.
- [110] D. Umbach and K. N. Jones. A few methods for fitting circles to data. *IEEE Transactions on Instrumentation and Measurement*, 52(6):1881–1885, December 2003.
- [111] M. van de Panne, “From Footprints to Animation” *Computer Graphics Forum*: 16, no. 4 (1997): 211-223.
- [112] G. A. Watson. Least squares fitting of circles and ellipses to measured data. *BIT*, 39(1):176–191, 1999.
- [113] Y. Wei, S. Xia, D. Zhu. “A Robust Method for Analyzing the Physical Correctness of Motion Capture Data”. *VRST*: pp. 338–341, Nov 1-3, 2006, Cyprus.

- [114] G. Welch and G. Bishop. An introduction to the Kalman filter. 2004.
- [115] D. J. Wiley and J. K. Hahn. "Interpolation synthesis of articulated figure motion." *IEEE Computer Graphics and Applications*, 17(6):39–45, November/December 1997.
- [116] L. de Witte. "Least Squares Fitting of a Great Circle Through Points on a Sphere." *Communications of the ACM*, Volume 3, No. 11, November 1960, pp. 611-613.
- [117] L. Yang, F. Albrechtsen, and T. Taxt. "Fast computation of three-dimensional geometric moments using a discrete divergence theorem and a generalization to higher dimensions." *Graphical Models and Image Processing*, 59(2):97–108, March 1997.
- [118] J. Znamenáček and M. Valášek. An efficient implementation of the recursive approach to flexible multibody dynamics. *Multibody System Dynamics*, 2(3):227–251, 1998.
- [119] E. E. Zelniker and I. V. L. Clarkson. A Generalisation of the Delogne-Kása Method for Fitting Hyperspheres. Pacific Grove, California, November 2004. Thirty-Eighth Asiomar Conference on Signals, Systems and Computers.
- [120] E. E. Zelniker and I. V. L. Clarkson. A Statistical Analysis Least-Squares Circle-Centre Estimation. In 2003 IEEE International Symposium on Signal Processing and Information Technology, December 2003, Darmstadt, Germany, pp 114-117
- [121] V.B. Zordan, A. Majkowaska, B. Chiu, M. Fast, "Dynamic Response for the Motion Capture Animation" *ACM Transaction on Graphics (SigGraph 2005)* 24(3) (July 2005) : 686-701.
- [122] V.B. Zordan, N. C. Van Der Horst, "Mapping Optical Motion Capture Data to Skeletal Motion Using a Physical Model" *Eurographics/SIGGRAPH Symposium on Computer Animation* (2003) : 245-250.



## Chapter 9 INDEX

### A

angular momentum..... 112, 114  
a-priori knowledge ..... 49, 87  
articulated figure ..... 1, 2, 3, 4, 7, 126, 131  
articulated motion..... 1  
asymptotic..... 74, 75  
asymptotically unbiased..... 65, 70, 97, 100

### B

Badler..... 17  
biased ..... 44, 46, 47, 50, 51, 65, 97  
Bodenheim..... 17

### C

C3D ..... 115, 122, 125, 127  
center estimator 35, 42, 43, 45, 46, 47, 48, 67, 68, 82  
center of rotation ..... 84, 115, 117  
CMU Graphics Lab ..... 91, 123  
complexity ..... 5, 115  
coordinate system..... 82, 83, 84, 85, 91, 114  
Cramér-Rao Lower Bound ..... 23  
Cyclomatic Complexity ..... 123  
cylindrical joint..... 76

### D

Danis ..... 122  
degrees of freedom..... 1, 4, 126  
Delogne ..... 21, 41, 133  
digital cameras..... 7

### E

eigenvalue ..... 55, 72, 73  
expectation. 46, 47, 48, 50, 51, 52, 54, 55, 56, 59, 67, 68, 72

### F

flops..... 40, 44, 81  
Forward kinematics..... 6  
Forward kinetics ..... 6  
Frey ..... 118

### G

Generalized Delogne-Kåsa Estimator..... 21  
gradient ..... 42, 43

### H

hierarchical ..... 124, 125, 127, 131, 142  
human shoulder ..... 4  
humerus..... 4, 5  
hypersphere..... 44, 45, 61, 66, 73, 74, 80, 100  
hysteresis..... 12

### I

incremental improvement..... 81  
Inverse kinematics ..... 7, 17  
Inverse kinetics ..... 6

### K

Kåsa ..... 21, 41, 133  
Kirk ..... 12  
Knight..... 17

### L

least-squares fit ..... 3  
Leontief ..... 46, 55, 67, 70, 72  
Levenberg-Marquardt..... 35, 37  
linear least-squares..... 3, 38, 63

### M

Maximum-Likelihood Estimator ..... 3, 21, 34  
measurement covariance ... 46, 50, 54, 66, 67, 68, 69, 72  
MEDIT ..... 116, 118  
MESH ..... 116, 118, 119, 120, 124  
moment of inertia..... 112  
Monte-Carlo ..... 19, 35, 43, 70  
Movie..... 129  
multivariate normal..... 20, 50, 51, 103

### N

Newton-Euler differential equation..... 1  
NIST ..... 34  
non-linear fitting ..... 3

### O

O'Brien..... 14, 63  
OpenGL..... 123, 129, 143  
orientation..... 3, 63

### P

physics ..... 1, 6, 100  
Polygon File Format ..... 122  
Positional errors ..... 12  
positive-semidefinite ..... 111

### R

radius estimator..... 41, 42, 47, 48, 66, 68  
recurrence..... 80

### S

sample covariance.. 43, 45, 46, 50, 51, 55, 65, 67, 72, 73, 76, 80, 111  
sample mean..... 46  
scapula ..... 4

segment ..... 1  
 Singular Value Decomposition ..... 39, 40, 63  
 skeleton .. 6, 11, 12, 63, 82, 86, 95, 100, 101, 129,  
 138, 142  
 spectral radius ..... 55, 70, 72  
 Stanford Triangle Format ..... 122

***T***

tetrahedral mesh ..... 116  
 tetrahedron ..... 112, 113, 119, 122, 131  
 third central moment ..... 43, 46, 47, 56, 57, 59  
 TIFF ..... 129  
 translational freedom ..... 4, 5  
 triangular mesh ..... 116

***U***

UML ..... 131

***V***

Vicon Peak ..... 8, 9  
 video ..... 7, 8

***W***

Wiley ..... 17

***Z***

Zelniker ..... 41, 45  
 Znamenáček ..... 18